

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public services- I & CAD Department- Verification of certain canal closures works in K.E & K.C. Divisions, Vijayawada – Disciplinary proceedings against certain engineers of I & CAD Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of Superintending Engineer, Irrigation Circle, Guntur as Inquiring Authority – orders- issued.

IRRIGATION & CAD (Vig.II(V&E-2) DEPARTMENT

G.O.RT.No. 502.

Dated 02.09.2014.

Read the following:-

1. G.O.Rt.No.158-163, I & CAD (Ser.VII (V&E-2) Dept, dt.14.02.2013

<< >>

ORDER

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers

1. Sri S.Tirumala Rao, DEE, Sub Division, Puligadda, KC Division, Vijayawada
2. Sri B.Bhava Singh, the then AEE, Srikakulam Section, Srikakulam Sub Division, Puligadda, KC Division, Vijayawada
3. Sri K.A.K.V.Narayana Rao, the then Assistant Engineer, Nidumolu Section, Pamarru Sub Division, Machilipatnam, KC Division, Vijayawada
4. Sri K.V.S.Rama Prasad, the then Assistant Executive Engineer, Bandar Section, Machilipatnam Sub Division, Machilipatnam, KC Division, Vijayawada
5. Sri P.Prasad, the then Assistant Engineer, Atukuru Section, Atukuru Sub Division, Vijayawada, K.E. Division, Vijayawada
6. Sri C.S.Murali Krishna, the then Assistant Engineer, Jonnapadu Section, Gudivada Irrigation Sub Division, Gudivawada, KE Division, Vijayawada

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints the Superintending Engineer, Irrigation Circle, Guntur as the Inquiring Authority to inquire into the charges framed against the above said officers.

(p.t.o.)

..2..

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the charged Officers are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit his report within two months positively.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYANATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), I&CAD Department, Hyderabad.

The Superintending Engineer, Irrigation Circle, Guntur and the Inquiring Authority.

Copy to:

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad,
With a request to submit the dated acknowledgement of the charged officers to Government without any delay.

The Executive Engineer, Special Division, Vijayawada and Presenting officer in this case.

// FORWARDED :: BY ORDER //

SECTION OFFICER